

# Valves and Accessories

## 20 Thermostatic Radiator Valve Sets

### 1. Herz Angle 1/2" Mini Set for PEX Pipe

PRODUCT CODE: VA-1773485P



Set of 1/2" angle nickel plated brass thermostatic control valves for connection to 1/2" PEX pipe. (Uses M22 x 1/2" PEX compression fittings Part # V-1606603 included).

The valve kit includes:

- Bi-directional supply valve which can be fitted on the supply or return of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators

### 2. Herz Angle 1/2" Mini Set for Copper Pipe

PRODUCT CODE: VA-1773484C



Set of 1/2" angle nickel plated brass thermostatic control valves for connection to 1/2" copper pipe. (Uses M22 x 1/2" copper compression fittings Part # V-1606602 included)

The valve kit includes:

- Bi-directional supply valve which can be fitted on the supply or return of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators

### 3. Herz Angle Valve Set For NPT 1/2" Pipe Thread

PRODUCT CODE: VA-NPTTRVSET



Set of 1/2" robust angle nickel plated brass thermostatic control valves for connection to 1/2" NPT pipe thread.

The valve kit includes:

- Supply valve which must be fitted on the supply of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/32" or 4mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators

### 4. Herz Straight Valve Set For NPT 1/2" Pipe Thread

PRODUCT CODE: VA-NPTST



Set of 1/2" robust straight nickel plated brass thermostatic control valves for connection to 1/2" NPT pipe thread.

The valve kit includes:

- Supply valve which must be fitted on the supply of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

### 5. Herz Straight Valve Set For Copper

PRODUCT CODE: VA-ST1773367C



Set of 1/2" straight nickel plated brass thermostatic control valves for compression connection to 1/2" copper pipe. (Uses G3/4 X 1/2" Copper Fittings Part # V-1627616 included). Chrome pipe can be used Model # V-C16600.

The valve kit includes:

- Supply valve which must be fitted on the supply of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C.
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

# Valves and Accessories

## Thermostatic Radiator Valve Sets

21

### 6. Herz Straight Valve Set For PEX

PRODUCT CODE: VA-ST1773367P



Set of ½" straight nickel plated brass thermostatic control valves for connection to ½" PEX pipe. (Uses G3/4 X ½" PEX Fittings Part # V-1609803 included)

**The valve kit includes:**

- Supply valve which must be fitted on the supply of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

### 7. Herz Reverse Angle (LH) Valve Set For NPT ½" Pipe Thread

PRODUCT CODE: VA-NPTLH



Set of ½" reverse angle nickel plated brass thermostatic control valves for connection to ½" NPT pipe thread. This valve pattern allows the thermostatic head to be mounted in a vertical configuration on the left side of the radiator.

**The valve kit includes:**

- Supply valve which must be fitted on the supply (left) side of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/32" or 4mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

### 8. Herz Reverse Angle (RH) Valve Set For NPT ½" Pipe Thread

PRODUCT CODE: VA-NPTRH



Set of ½" reverse angle nickel plated brass thermostatic control valves for connection to ½" NPT pipe thread. This valve pattern allows the thermostatic head to be mounted in a vertical configuration on the right side of the radiator.

**The valve kit includes:**

- Supply valve which must be fitted on the supply (right) side of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/32" or 4mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

### 9. Herz Reverse Angle (RH) Valve Set For PEX Pipe

PRODUCT CODE: VA-PEXRH



Set of ½" reverse angle nickel plated brass thermostatic control valves for connection to ½" PEX. This valve pattern allows the thermostatic head to be mounted vertical on the right side of the radiator. (Uses G3/4 X ½" PEX Fittings Part # V-1609803 Included)

**The valve kit includes:**

- Supply valve which must be fitted on the supply (right) side of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

# Valves and Accessories

## 22 Thermostatic Radiator Valve Sets

### 10. Herz Reverse Angle (LH) Valve Set For PEX Pipe

PRODUCT CODE: VA-PEXLH



Set of ½" reverse angle nickel plated brass thermostatic control valves for connection to ½" PEX. This valve pattern allows the thermostatic head to be mounted vertical on the left side of the radiator. (Uses G3/4 X ½" PEX Fittings Part # V-1609803 Included)

The valve kit includes:

- Supply valve which must be fitted on the supply (left) side of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

### 11. Herz Reverse Angle (LH) Valve Set For Copper Pipe

PRODUCT CODE: VA-CULH



Set of ½" reverse angle nickel plated brass thermostatic control valves for connection to ½" copper. This valve pattern allows the head to be mounted vertical on the left side of the radiator. (Uses G3/4 X ½" Copper Fittings Part # V-1627616 Included)

The valve kit includes:

- Supply valve which must be fitted on the supply (left) side of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

### 12. Herz Reverse Angle (RH) Valve Set For Copper Pipe

PRODUCT CODE: VA-CURH



Set of ½" reverse angle nickel plated brass thermostatic control valves for connection to ½" copper. This valve pattern allows the head to be mounted vertical on the right side of the radiator. (Uses G3/4 X ½" Copper Fittings Part # V-1627616 Included)

The valve kit includes:

- Supply valve which must be fitted on the supply (right) side of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

PRODUCT CODES:

### 13. Herz Two-pipe Bypass Valve



½" Two-pipe bypass valve with reverse angle thermostatic valve and head for copper and PEX connections

FOR COPPER	FOR PEX
VA-171750110C-08 (08")	VA-171750110P-08 (08")
VA-171750110C-12 (12")	VA-171750110P-12 (12")
VA-171750110C-18 (18")	VA-171750110P-18 (18")
VA-171750110C-24 (24")	VA-171750110P-24 (24")
VA-171750110C-28 (28")	VA-171750110P-28 (28")

### 14. Herz One-pipe Bypass Valve



½" One-pipe bypass valve with reverse angle thermostatic valve and head for copper and PEX connections

FOR COPPER	FOR PEX
VA-1717301C-08 (08")	VA-1717301P-08 (08")
VA-1717301C-12 (12")	VA-1717301P-12 (12")
VA-1717301C-18 (18")	VA-1717301P-18 (18")
VA-1717301C-24 (24")	VA-1717301P-24 (24")
VA-1717301C-28 (28")	VA-1717301P-28 (28")

# Valves and Accessories

## Chrome Radiator Valves

23

### 15. Ottinetti Manual 1/2" Angle Cross Head Valves PRODUCT CODE: V-CROSSH16-P or V-CROSSH16-C



1/2" angle chrome plated brass classic cross head radiator valves  
Has compression fittings for either standard 1/2" copper or 1/2" PEX tubing

- These attractive operating valves require 12 mm Allen key to secure the tail piece into the radiator or towel warmer. (Not Included)
- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Sold in pairs

### 16. Ottinetti Manual 1/2" Straight Cross Head Valves PRODUCT CODE: V-CROSSH16-SP or V-CROSSH16-SC



1/2" angle chrome plated brass classic cross head radiator valves  
Has compression fittings for either standard 1/2" copper or 1/2" PEX tubing

- These attractive operating valves require a 12 mm Allen key to secure the tail piece into the radiator or towel warmer. (Not Included)
- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Sold in pairs

### 17. Ottinetti Angled TRV Valve PRODUCT CODE: VA-CHROMETRVSET-C or VA-CHROMETRVSET-P



1/2" angle chrome plated brass valve set with chrome thermostatic head  
Has compression fittings for either standard 1/2" copper or 1/2" PEX tubing

- These attractive operating valves require a 12 mm Allen key to secure the tail piece into the radiator or towel warmer. (Not Included)
- This will fit all Express Radiant's Stelrad radiators and towel warmers

### 18. Ottinetti Straight TRV Valve PRODUCT CODE: VA-CHROMETRVSET-SC or VA-CHROMETRVSET-SP



1/2" straight chrome plated brass valve set with chrome thermostatic head  
Has compression fittings for either standard 1/2" copper or 1/2" PEX tubing

- These attractive operating valves require a 12 mm Allen key to secure the tail piece into the radiator or towel warmer. (Not Included)
- This will fit all Express Radiant's Stelrad radiators and towel warmers

### 19. Ottinetti Angled Chrome Plated Lockshield PRODUCT CODE: V-CHROMELS-P or V-CHROMELS-C



Has compression fittings for either standard 1/2" copper or 1/2" PEX tubing

- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Sold in pairs

### 20. Ottinetti Straight Chrome Plated Lockshield PRODUCT CODE: V-CHROMELS-SP or V-CHROMELS-SC



Has compression fittings for either standard 1/2" copper or 1/2" PEX tubing

- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Sold in pairs

# Valves and Accessories

## 24 Radiator Connectors

### 21. Herz 1/2" Pex Compression Connector

PRODUCT CODE: V-1609803



G 3/4" X 1/2" PEX Compression Connector

### 22. Herz 1/2" Copper Compression Connector

PRODUCT CODE: V-1627616



G 3/4" X 1/2" Copper Compression Connector

### 23. Herz M22 x 1/2" PEX Compression Connector

Product Code: V-1606603



M22 X 1/2" PEX Compression Connector

- For Herz minisets only

### 24. Herz M 22 X 1/2" Copper Compression Connector

PRODUCT CODE: V-1606602



M22 X 1/2" Copper Compression Connector

- For Herz minisets only

### 25. Herz Straight 1/2" NPT Union Connector

PRODUCT CODE: V-1414401 (Single) VA-1414401 (Pair)



1/2" NPT straight nickel plated brass union radiator connector (s)

- This will fit all Express Radiant, Stelrad radiators and towel warmers

# Valves and Accessories

## Radiator Connectors

25

### 26. Herz Angle 1/2" NPT Union Connector

PRODUCT CODE: V-1414501 (Single) VA-1414501 (Pair)



1/2" NPT angle nickel plated brass union radiator connector (s)

- This will fit all Express Radiant, Stelrad radiators and towel warmers

### 29. Herz Straight 1/2" Copper Connectors

PRODUCT CODE: V-1300231C (Single) VA-1300231C (Pair)



1/2" Copper compression straight nickel plated brass radiator connector (s)  
(Uses G3/4" x 1/2" copper connector Part # V-1627616 included)  
Chrome pipe can be used model # V-C16600

- No tape or dope required
- This will fit all Express Radiant's Stelrad radiators and towel warmers

### 30. Herz Straight 1/2" PEX Connectors

PRODUCT CODE: V-1300231P (Single) VA-1300231P (Pair)



1/2" PEX compression straight nickel plated brass radiator connector (s)  
(Uses G3/4" x 1/2" PEX connector Part # V-1609803 included)

- No tape or dope required
- This will fit all Express Radiant's Stelrad radiators and towel warmers

## Radiator Valves

### 31. Herz Angle 1/2" Lockshield Valve

PRODUCT CODE: V-1374801P (PEX) V-1374801C (Copper)



1/2" PEX and Copper Compression

- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)

Valves shown with PEX Connectors

### 32. Herz Thermostatic 1/2" Angle Valve Body

PRODUCT CODE: V-1772437P (PEX) V-1772437C (Copper)



1/2" PEX and Copper Compression

- This will fit all Express Radiant's Stelrad radiators

Valves shown with PEX Connectors

# Valves and Accessories

## 26 Radiator Valves

### 33. Herz Thermostatic 1/2" Reverse Angle Left Hand Valve Body

PRODUCT CODE: V-1775991



Herz Thermostatic Reverse Angle

- Left Hand Valve Body
- 1/2" NPT
- This will fit all Express Radiant's Stelrad radiators

### 34. Herz Thermostatic 1/2" Reverse Angle Right Hand Valve Body

PRODUCT CODE: V-1775891



Herz Thermostatic Reverse Angle

- Right Hand Valve Body
- 1/2" NPT
- This will fit all Express Radiant's Stelrad radiators

### 35. Herz Angle 1/2" NPT Thermostatic Valve Body

PRODUCT CODE: V-1772456



1/2" NPT pipe thread angle nickel plated brass thermostatic radiator control valve

- This will fit all Express Radiant's Stelrad radiators

### 36. Herz Angle 1/2" NPT Lockshield Valve

PRODUCT CODE: V-1342456



1/2" NPT pipe thread angle nickel plated brass return lockshield valve used for isolation and flow balancing

- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Return lockshield valve for flow balancing or isolation operated by a 5/32" or 4mm Allen key (not supplied)

### 37. Herz Straight 1/2" NPT Thermostatic Valve Body

PRODUCT CODE: V-1772391



1/2" NPT pipe thread straight nickel plated brass thermostatic radiator control valve

- This will fit all Express Radiant's Stelrad radiators and towel warmers

# Valves and Accessories

## Radiator Valves

27

### 38. Herz Straight 1/2" NPT Lockshield Valve

PRODUCT CODE: V-1372341



1/2" NPT pipe thread straight nickel plated brass return lockshield valve used for isolation and flow balancing

- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)

### 39. Herz Straight 1/2" Thermostatic Valve Body

PRODUCT CODE: V-1773367P (PEX) V-1773367C (Copper)



1/2" PEX or Copper straight nickel plated brass thermostatic radiator control valve

- This will fit all Express Radiant's Stelrad radiators and towel warmers

### 40. Herz Straight 1/2" Lockshield Valve

PRODUCT CODE: V-1373311P (PEX) V-1373311C (Copper)



1/2" PEX or Copper straight nickel plated brass return lockshield valve used for isolation and flow balancing.

- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)

## Controls

### 42. Herz Non-Electric Mini Thermostatic Head

PRODUCT CODE: V-1920060



Thermostatic head, liquid filled. Operating temperature range: 6°C - 28°C  
Frost protection at 6°C, comfort level at scale mark 3

- Fits all Herz thermostatic valve bodies
- Used for sensing room temperature and automatically adjusting flow of liquid through valve body and radiator or heat emitter



# Valves and Accessories

## 28 Accessories

### 43. M28 to M30 Adaptor

PRODUCT CODE: V-1635760



Converts Herz radiator TRV valves from M28 to M30 thread

### 44. Herz Replacement Valve Inserts

PRODUCT CODE: V-1639091 V-1639090



Replacement valve insert for all ½" thermostatic Herz valves. This can be changed with system under pressure using Herz change tool V-1778000 or during routine maintenance. See page 28 Item #45.

Herz Replacement Valve Insert, PRODUCT CODE V-1639091 (NOT for Mini Sets)

Herz Replacement Valve Insert, PRODUCT CODE V-1639090 (for Mini Sets)

### 45. Herz Valve Insert Change Tool

PRODUCT CODE: V-1778000



Herz valve insert change tool.

- For changing valve insert without draining down system or radiator

### 46. Herz Multi-purpose Key

PRODUCT CODE: V-1662500



Herz multi-purpose key

- For adjusting lockshield valves and bleeding radiators

### 47. Stelrad Radiator Air Bleeder Key

PRODUCT CODE: V-VENT KEY



Air bleeder key used for all Express Radiant's Stelrad radiators and towel warmers now on a convenient key ring

### 48. ½" X 24" Chrome Tubing

PRODUCT CODE: V-C16600



½" chrome plated brass tubing 24" long

- Will fit to all Herz copper compression valves
- Easy to solder just remove chrome plating with file and solder to any fitting or use compression fittings

## Accessories

### 49. 1/2" X 8" Chrome and White Radsnaps PRODUCT CODE: V-RSC8 (Chrome) V-RSW8 (White)



1/2" chrome or white pipe covering sleeves, 10 pieces 8" long

- The pipe sleeves can be installed easily around exposed piping and give the appearance of white or chrome pipework
- The individual pieces can be cut with scissors to the required length and snapped around the exposed pipe

### 50. 1/2" X 40" Chrome and White Pipesnaps PRODUCT CODE: V-PIPESNAPC (Chrome) V-PIPESNAPW (White)

1/2" chrome or white pipe covering sleeves, 3 pieces 40" (1m) long

- The pipe sleeves can be installed easily around exposed piping and give the appearance of white or chrome pipework
- The individual pieces can be cut with scissors to the required length and snapped around the exposed pipe



### 51. Softline Radiator Floor Standing Bracket



Universal floor standing bracket with adjustable height setting for Stelrad Compact Softline Radiator

- Not available for the 8" model radiator
- 2 brackets required for 16" to 64" length radiators
- 3 brackets required for 72" to 120" length radiators
- Sold as single

PRODUCT CODE: V-FS BRACKET-K1  
PRODUCT CODE: V-FS BRACKET-K2

### 52. Classic Column Floor Standing Brackets PRODUCT CODE: V-CLFS



Floor standing brackets for classic column radiators

- Up to 18 sections 2 brackets recommended
- 18 - 31 sections 3 brackets recommended
- 32 - 40 sections 4 brackets recommended
- Sold in pairs

### 53. Non Scratch Bushing Wrench PRODUCT CODE: V-CCWRENCH



Plastic wrench to avoid scratches when used to tighten the bushings on column radiators

- NOTE: for classic column radiators only.

# Accessories

## 30 Accessories

### 54. White Ladder Rail Brackets

PRODUCT CODE: V-WBLRCW (Curved white) V-WBLRSW (Straight white)



Replacement wall brackets for Stelrad ladder rail towel warmers

- Includes hardware accessories pack

### 55. Chrome Ladder Rail Brackets

PRODUCT CODE: V-WBLRCC (Curved chrome) V-WBLRSC (Straight chrome)



Replacement wall brackets for Stelrad ladder rail towel warmers

- Includes hardware accessories pack

### 56. Extensions



Extensions for radiator valve connections

- Fits all Herz valves

PRODUCT CODE: V-EXT20 20mm (3/4")

PRODUCT CODE: V-EXT30 30mm (1 3/16")

PRODUCT CODE: V-EXT40 40mm (1 1/2")

### 57. Threaded Tail Piece

PRODUCT CODE: V-1621801



3" long union connector tail piece for Herz valves

- Cut to length
- Suitable for all Herz valves except the Herz minisets items #1 VA-1773485P and Item #2 VA-1773484C and chrome valves

### 58. Softline and Style Radiator L Wall Brackets



Replacement wall brackets, sold in pairs

PRODUCT CODE: V-WB200 200mm (8")

PRODUCT CODE: V-WB300 300mm (12")

PRODUCT CODE: V-WB450 450mm (18")

PRODUCT CODE: V-WB600 600mm (24")

PRODUCT CODE: V-WB700 700mm (28")

**NOTE:** Products are matched to radiator height. E.g. If you need brackets for a 12" inch high radiator, select V-WB300. The correct brackets will be shorter than the height of the actual radiator.

### 59. J-Brackets



- Wall mounted through the top grille and in the lower welding seam for easy placement
- Sold in singles
- Suitable for K2 and S2 type radiators only

PRODUCT CODE: V-JBracket 200 200mm (8")  
 PRODUCT CODE: V-JBracket 300 300mm (12")  
 PRODUCT CODE: V-JBracket 450 450mm (18")  
 PRODUCT CODE: V-JBracket 600 600mm (24")  
 PRODUCT CODE: V-JBracket 700 700mm (28")



**NOTE:** Products are matched to radiator height.

### 60. Stelrad Radiator Replacement Hardware Pack



Stelrad hardware pack for compact and style radiators in 12", 18", 24" and 28" inch heights.

- Includes nickel plated air vent, blank plug and bracket isolators.

PRODUCT CODE: V-HARDWARE  
 (For 12", 18", 24", 28" radiators, PICTURED)  
 PRODUCT CODE: V-HARDWARE8  
 (For K2 and S2 8" models)

### 61. Stelrad Ladder Rail Replacement Hardware Pack

PRODUCT CODE: V-LRHARDWARE



Hardware pack for all types of Stelrad ladder rails

Replacement top grilles and end panels are available as a special order and not carried as stock.