

Valves and Accessories

20 Thermostatic Radiator Valve Sets

1. Herz Angle ½" Mini Set for PEX Pipe

PRODUCT CODE: VA-1773485P



Set of ½" angle nickel plated brass thermostatic control valves for connection to ½" PEX pipe. (Uses M22 x ½" PEX compression fittings Part # V-1606603 included).

The valve kit includes:

- Bi-directional supply valve which can be fitted on the supply or return of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators

2. Herz Angle ½" Mini Set for Copper Pipe

PRODUCT CODE: VA-1773484C



Set of ½" angle nickel plated brass thermostatic control valves for connection to ½" copper pipe. (Uses M22 x ½" copper compression fittings Part # V-1606602 included)

The valve kit includes:

- Bi-directional supply valve which can be fitted on the supply or return of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators

3. Herz Angle Valve Set For NPT ½" Pipe Thread

PRODUCT CODE: VA-NPTTRVSET



Set of ½" robust angle nickel plated brass thermostatic control valves for connection to ½" NPT pipe thread.

The valve kit includes:

- Supply valve which must be fitted on the supply of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/32" or 4mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators

4. Herz Straight Valve Set For NPT ½" Pipe Thread

PRODUCT CODE: VA-NPTST



Set of ½" robust straight nickel plated brass thermostatic control valves for connection to ½" NPT pipe thread.

The valve kit includes:

- Supply valve which must be fitted on the supply of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

5. Herz Straight Valve Set For Copper

PRODUCT CODE: VA-ST1773367C



Set of ½" straight nickel plated brass thermostatic control valves for compression connection to ½" copper pipe. (Uses G3/4 X ½" Copper Fittings Part # V-1627616 included). Chrome pipe can be used Model # V-C16600.

The valve kit includes:

- Supply valve which must be fitted on the supply of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C.
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

Valves and Accessories

Thermostatic Radiator Valve Sets

21

6. Herz Straight Valve Set For PEX

PRODUCT CODE: VA-ST1773367P



Set of ½" straight nickel plated brass thermostatic control valves for connection to ½" PEX pipe. (Uses G3/4 X ½" PEX Fittings Part # V-1609803 included)

The valve kit includes:

- Supply valve which must be fitted on the supply of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

7. Herz Reverse Angle (LH) Valve Set For NPT ½" Pipe Thread

PRODUCT CODE: VA-NPTLH



Set of ½" reverse angle nickel plated brass thermostatic control valves for connection to ½" NPT pipe thread. This valve pattern allows the thermostatic head to be mounted in a vertical configuration on the left side of the radiator.

The valve kit includes:

- Supply valve which must be fitted on the supply (left) side of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/32" or 4mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

8. Herz Reverse Angle (RH) Valve Set For NPT ½" Pipe Thread

PRODUCT CODE: VA-NPTRH



Set of ½" reverse angle nickel plated brass thermostatic control valves for connection to ½" NPT pipe thread. This valve pattern allows the thermostatic head to be mounted in a vertical configuration on the right side of the radiator.

The valve kit includes:

- Supply valve which must be fitted on the supply (right) side of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/32" or 4mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

9. Herz Reverse Angle (RH) Valve Set For PEX Pipe

PRODUCT CODE: VA-PEXRH



Set of ½" reverse angle nickel plated brass thermostatic control valves for connection to ½" PEX. This valve pattern allows the thermostatic head to be mounted vertical on the right side of the radiator. (Uses G3/4 X ½" PEX Fittings Part # V-1609803 Included)

The valve kit includes:

- Supply valve which must be fitted on the supply (right) side of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

Valves and Accessories

22 Thermostatic Radiator Valve Sets

10. Herz Reverse Angle (LH) Valve Set For PEX Pipe

PRODUCT CODE: VA-PEXLH



Set of ½" reverse angle nickel plated brass thermostatic control valves for connection to ½" PEX. This valve pattern allows the thermostatic head to be mounted vertical on the left side of the radiator. (Uses G3/4 X ½" PEX Fittings Part # V-1609803 Included)

The valve kit includes:

- Supply valve which must be fitted on the supply (left) side of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

11. Herz Reverse Angle (LH) Valve Set For Copper Pipe

PRODUCT CODE: VA-CULH



Set of ½" reverse angle nickel plated brass thermostatic control valves for connection to ½" copper. This valve pattern allows the head to be mounted vertical on the left side of the radiator. (Uses G3/4 X ½" Copper Fittings Part # V-1627616 Included)

The valve kit includes:

- Supply valve which must be fitted on the supply (left) side of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

12. Herz Reverse Angle (RH) Valve Set For Copper Pipe

PRODUCT CODE: VA-CURH



Set of ½" reverse angle nickel plated brass thermostatic control valves for connection to ½" copper. This valve pattern allows the head to be mounted vertical on the right side of the radiator. (Uses G3/4 X ½" Copper Fittings Part # V-1627616 Included)

The valve kit includes:

- Supply valve which must be fitted on the supply (right) side of the radiator
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Thermostatic operating head with temperature settings from 6°C - 28°C with frost protection at 6°C
- This valve will fit all Express Radiant's Stelrad radiators and towel warmers

PRODUCT CODES:

13. Herz Two-pipe Bypass Valve



½" Two-pipe bypass valve with reverse angle thermostatic valve and head for copper and PEX connections

FOR COPPER	FOR PEX
VA-171750110C-08 (08")	VA-171750110P-08 (08")
VA-171750110C-12 (12")	VA-171750110P-12 (12")
VA-171750110C-18 (18")	VA-171750110P-18 (18")
VA-171750110C-24 (24")	VA-171750110P-24 (24")
VA-171750110C-28 (28")	VA-171750110P-28 (28")

14. Herz One-pipe Bypass Valve



½" One-pipe bypass valve with reverse angle thermostatic valve and head for copper and PEX connections

FOR COPPER	FOR PEX
VA-1717301C-08 (08")	VA-1717301P-08 (08")
VA-1717301C-12 (12")	VA-1717301P-12 (12")
VA-1717301C-18 (18")	VA-1717301P-18 (18")
VA-1717301C-24 (24")	VA-1717301P-24 (24")
VA-1717301C-28 (28")	VA-1717301P-28 (28")

Valves and Accessories

Chrome Radiator Valves

23

15. Ottinetti Manual 1/2" Angle Cross Head Valves PRODUCT CODE: V-CROSSH16-P or V-CROSSH16-C



1/2" angle chrome plated brass classic cross head radiator valves
Has compression fittings for either standard 1/2" copper or 1/2" PEX tubing

- These attractive operating valves require 12 mm Allen key to secure the tail piece into the radiator or towel warmer. (Not Included)
- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Sold in pairs

16. Ottinetti Manual 1/2" Straight Cross Head Valves PRODUCT CODE: V-CROSSH16-SP or V-CROSSH16-SC



1/2" angle chrome plated brass classic cross head radiator valves
Has compression fittings for either standard 1/2" copper or 1/2" PEX tubing

- These attractive operating valves require a 12 mm Allen key to secure the tail piece into the radiator or towel warmer. (Not Included)
- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Sold in pairs

17. Ottinetti Angled TRV Valve PRODUCT CODE: VA-CHROMETRVSET-C or VA-CHROMETRVSET-P



1/2" angle chrome plated brass valve set with chrome thermostatic head
Has compression fittings for either standard 1/2" copper or 1/2" PEX tubing

- These attractive operating valves require a 12 mm Allen key to secure the tail piece into the radiator or towel warmer. (Not Included)
- This will fit all Express Radiant's Stelrad radiators and towel warmers

18. Ottinetti Straight TRV Valve PRODUCT CODE: VA-CHROMETRVSET-SC or VA-CHROMETRVSET-SP



1/2" straight chrome plated brass valve set with chrome thermostatic head
Has compression fittings for either standard 1/2" copper or 1/2" PEX tubing

- These attractive operating valves require a 12 mm Allen key to secure the tail piece into the radiator or towel warmer. (Not Included)
- This will fit all Express Radiant's Stelrad radiators and towel warmers

19. Ottinetti Angled Chrome Plated Lockshield PRODUCT CODE: V-CHROMELS-P or V-CHROMELS-C



Has compression fittings for either standard 1/2" copper or 1/2" PEX tubing

- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Sold in pairs

20. Ottinetti Straight Chrome Plated Lockshield PRODUCT CODE: V-CHROMELS-SP or V-CHROMELS-SC



Has compression fittings for either standard 1/2" copper or 1/2" PEX tubing

- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Sold in pairs

Valves and Accessories

24 Radiator Connectors

21. Herz 1/2" Pex Compression Connector

PRODUCT CODE: V-1609803



G 3/4" X 1/2" PEX Compression Connector

22. Herz 1/2" Copper Compression Connector

PRODUCT CODE: V-1627616



G 3/4" X 1/2" Copper Compression Connector

23. Herz M22 x 1/2" PEX Compression Connector

Product Code: V-1606603



M22 X 1/2" PEX Compression Connector

- For Herz minisets only

24. Herz M 22 X 1/2" Copper Compression Connector

PRODUCT CODE: V-1606602



M22 X 1/2" Copper Compression Connector

- For Herz minisets only

25. Herz Straight 1/2" NPT Union Connector

PRODUCT CODE: V-1414401 (Single) VA-1414401 (Pair)



1/2" NPT straight nickel plated brass union radiator connector (s)

- This will fit all Express Radiant, Stelrad radiators and towel warmers

Valves and Accessories

Radiator Connectors

25

26. Herz Angle 1/2" NPT Union Connector

PRODUCT CODE: V-1414501 (Single) VA-1414501 (Pair)



1/2" NPT angle nickel plated brass union radiator connector (s)

- This will fit all Express Radiant, Stelrad radiators and towel warmers

29. Herz Straight 1/2" Copper Connectors

PRODUCT CODE: V-1300231C (Single) VA-1300231C (Pair)



1/2" Copper compression straight nickel plated brass radiator connector (s)

(Uses G3/4" x 1/2" copper connector Part # V-1627616 included)

Chrome pipe can be used model # V-C16600

- No tape or dope required
- This will fit all Express Radiant's Stelrad radiators and towel warmers

30. Herz Straight 1/2" PEX Connectors

PRODUCT CODE: V-1300231P (Single) VA-1300231P (Pair)



1/2" PEX compression straight nickel plated brass radiator connector (s)

(Uses G3/4" x 1/2" PEX connector Part # V-1609803 included)

- No tape or dope required
- This will fit all Express Radiant's Stelrad radiators and towel warmers

Radiator Valves

31. Herz Angle 1/2" Lockshield Valve

PRODUCT CODE: V-1374801P (PEX) V-1374801C (Copper)



1/2" PEX and Copper Compression

- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)
- Sold singly

Valves shown with PEX Connectors

32. Herz Thermostatic 1/2" Angle Valve Body

PRODUCT CODE: V-1772437P (PEX) V-1772437C (Copper)



1/2" PEX and Copper Compression

- This will fit all Express Radiant's Stelrad radiators

Valves shown with PEX Connectors

Valves and Accessories

26 Radiator Valves

33. Herz Thermostatic 1/2" Reverse Angle Left Hand Valve Body

PRODUCT CODE: V-1775991



Herz Thermostatic Reverse Angle

- Left Hand Valve Body
- 1/2" NPT
- This will fit all Express Radiant's Stelrad radiators

34. Herz Thermostatic 1/2" Reverse Angle Right Hand Valve Body

PRODUCT CODE: V-1775891



Herz Thermostatic Reverse Angle

- Right Hand Valve Body
- 1/2" NPT
- This will fit all Express Radiant's Stelrad radiators

35. Herz Angle 1/2" NPT Thermostatic Valve Body

PRODUCT CODE: V-1772456



1/2" NPT pipe thread angle nickel plated brass thermostatic radiator control valve

- This will fit all Express Radiant's Stelrad radiators

36. Herz Angle 1/2" NPT Lockshield Valve

PRODUCT CODE: V-1342456



1/2" NPT pipe thread angle nickel plated brass return lockshield valve used for isolation and flow balancing

- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Return lockshield valve for flow balancing or isolation operated by a 5/32" or 4mm Allen key (not supplied)

37. Herz Straight 1/2" NPT Thermostatic Valve Body

PRODUCT CODE: V-1772391



1/2" NPT pipe thread straight nickel plated brass thermostatic radiator control valve

- This will fit all Express Radiant's Stelrad radiators and towel warmers

Valves and Accessories

Radiator Valves

27

38. Herz Straight ½" NPT Lockshield Valve

PRODUCT CODE: V-1372341



½" NPT pipe thread straight nickel plated brass return lockshield valve used for isolation and flow balancing

- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)

39. Herz Straight ½" Thermostatic Valve Body

PRODUCT CODE: V-1773367P (PEX) V-1773367C (Copper)



½" PEX or Copper straight nickel plated brass thermostatic radiator control valve

- This will fit all Express Radiant's Stelrad radiators and towel warmers

40. Herz Straight ½" Lockshield Valve

PRODUCT CODE: V-1373311P (PEX) V-1373311C (Copper)



½" PEX or Copper straight nickel plated brass return lockshield valve used for isolation and flow balancing.

- This will fit all Express Radiant's Stelrad radiators and towel warmers
- Return lockshield valve for flow balancing or isolation operated by a 5/16" or 8mm Allen key (not supplied)

Controls

42. Herz Non-Electric Mini Thermostatic Head

PRODUCT CODE: V-1920060



Thermostatic head, liquid filled. Operating temperature range: 6°C - 28°C
Frost protection at 6°C, comfort level at scale mark 3

- Fits all Herz thermostatic valve bodies
- Used for sensing room temperature and automatically adjusting flow of liquid through valve body and radiator or heat emitter

Valves and Accessories

28 Accessories

43. M28 to M30 Adaptor

PRODUCT CODE: V-1635760



Converts Herz radiator TRV valves from M28 to M30 thread

44. Herz Replacement Valve Inserts

PRODUCT CODE: V-1639091 V-1639090



Replacement valve insert for all 1/2" thermostatic Herz valves. This can be changed with system under pressure using Herz change tool V-1778000 or during routine maintenance. See page 28 Item #45.

Herz Replacement Valve Insert, PRODUCT CODE V-1639091 (NOT for Mini Sets)

Herz Replacement Valve Insert, PRODUCT CODE V-1639090 (for Mini Sets)

45. Herz Valve Insert Change Tool

PRODUCT CODE: V-1778000



Herz valve insert change tool.

- For changing valve insert without draining down system or radiator

46. Herz Multi-purpose Key

PRODUCT CODE: V-1662500



Herz multi-purpose key

- For adjusting lockshield valves and bleeding radiators

47. Stelrad Radiator Air Bleeder Key

PRODUCT CODE: V-VENT KEY



Air bleeder key used for all Express Radiant's Stelrad radiators and towel warmers now on a convenient key ring

48. 1/2" X 24" Chrome Tubing

PRODUCT CODE: V-C16600



1/2" chrome plated brass tubing 24" long

- Will fit to all Herz copper compression valves
- Easy to solder just remove chrome plating with file and solder to any fitting or use compression fittings

49. ½" X 8" Chrome and White Radsnaps

PRODUCT CODE: V-RSC8 (Chrome) V-RSW8 (White)



½" chrome or white pipe covering sleeves, 10 pieces 8" long

- The pipe sleeves can be installed easily around exposed piping and give the appearance of white or chrome pipework
- The individual pieces can be cut with scissors to the required length and snapped around the exposed pipe

50. ½" X 40" Chrome and White Pipesnaps

PRODUCT CODE: V-PIPESNAPC (Chrome) V-PIPESNAPW (White)

½" chrome or white pipe covering sleeves, 3 pieces 40" (1m) long

- The pipe sleeves can be installed easily around exposed piping and give the appearance of white or chrome pipework
- The individual pieces can be cut with scissors to the required length and snapped around the exposed pipe



51. Softline Radiator Floor Standing Bracket



Universal floor standing bracket with adjustable height setting for Stelrad Compact Softline Radiator

- Not available for the 8" model radiator
- 2 brackets required for 16" to 64" length radiators
- 3 brackets required for 72" to 120" length radiators
- Sold as single

PRODUCT CODE: V-FS BRACKET-K1
PRODUCT CODE: V-FS BRACKET-K2

52. Classic Column Floor Standing Brackets

PRODUCT CODE: V-CLFS



Floor standing brackets for classic column radiators

- Up to 18 sections 2 brackets recommended
- 18 - 31 sections 3 brackets recommended
- 32 - 40 sections 4 brackets recommended
- Sold in pairs

53. Non Scratch Bushing Wrench

PRODUCT CODE: V-CCWRENCH



Plastic wrench to avoid scratches when used to tighten the bushings on column radiators

- NOTE: for classic column radiators only.
- If ordering floor brackets and you still wish to have wall brackets included, please have wholesaler indicate on purchase order.

Accessories

30 Accessories

54. White Ladder Rail Brackets

PRODUCT CODE: V-WBLRCW (Curved white) V-WBLRSW (Straight white)



Replacement wall brackets for Stelrad ladder rail towel warmers

- Includes hardware accessories pack

55. Chrome Ladder Rail Brackets

PRODUCT CODE: V-WBLRCC (Curved chrome) V-WBLRSC (Straight chrome)



Replacement wall brackets for Stelrad ladder rail towel warmers

- Includes hardware accessories pack

56. Extensions



Extensions for radiator valve connections

- Fits all Herz valves

PRODUCT CODE: V-EXT20 20mm ($\frac{3}{4}$ ")

PRODUCT CODE: V-EXT30 30mm ($1\frac{3}{16}$ ")

PRODUCT CODE: V-EXT40 40mm ($1\frac{1}{2}$ ")

58. Softline and Style Radiator L Wall Brackets



Replacement wall brackets, sold in pairs

PRODUCT CODE: V-WB200 200mm (8")

PRODUCT CODE: V-WB300 300mm (12")

PRODUCT CODE: V-WB450 450mm (18")

PRODUCT CODE: V-WB600 600mm (24")

PRODUCT CODE: V-WB700 700mm (28")

NOTE: Products are matched to radiator height. E.g. If you need brackets for a 12" inch high radiator, select V-WB300. The correct brackets will be shorter than the height of the actual radiator.

59. J-Brackets



- Wall mounted through the top grille and in the lower welding seam for easy placement
- Sold in singles
- Suitable for K2 and S2 type radiators only

PRODUCT CODE: V-JBracket 200 200mm (8")
 PRODUCT CODE: V-JBracket 300 300mm (12")
 PRODUCT CODE: V-JBracket 450 450mm (18")
 PRODUCT CODE: V-JBracket 600 600mm (24")
 PRODUCT CODE: V-JBracket 700 700mm (28")



NOTE: Products are matched to radiator height.

60. Stelrad Radiator Replacement Hardware Pack



Stelrad hardware pack for for compact and style radiators in 12", 18", 24" and 28" inch heights.

- Includes nickel plated air vent, blank plug and bracket isolators.

PRODUCT CODE: V-HARDWARE
 (For 12", 18", 24", 28" radiators, PICTURED)
 PRODUCT CODE: V-HARDWARE8
 (For K2 and S2 8" models)

61. Stelrad Ladder Rail Replacement Hardware Pack

PRODUCT CODE: V-LRHARDWARE



Hardware pack for all types of Stelrad ladder rails

Replacement top grilles and end panels are available as a special order and not carried as stock.