20 Thermostatic Radiator Valve Sets

	ITEM #	ANGLED/ STRAIGHT SET	PIPE	REGULAR/ LONG TAILPIECE (APPLIES TO ANGLED SETS ONLY FOR ROUGH-INS)	BI-DIRECTIONAL BODY?	TOOL TO ADJUST LOCKSHIELD (FOR FLOW BALANCING OR ISOLATION)	PRODUCT CODE
	1	Angled	Copper	Long	Yes, body can go on either supply or return side of radiator	5/16" or 8mm Allen key	**VA-02COP90**
	2	Angled	PEX	Long	Yes, body can go on either supply or return side of radiator	5/16" or 8mm Allen key	**VA-02PEX90**
	3	Angled	NPT/Black Iron	Regular	Body must go on supply side of radiator	5/32" or 4mm Allen key	**VA-NPTTRVSET***
	4	Straight	NPT/Black Iron	N/A	Body must go on supply side of radiator	5/16" or 8mm Allen key	**VA-NPTST***
	5	Straight	Copper	N/A	Body must go on supply side of radiator	5/16" or 8mm Allen key	**VA-02COPST**
	6	Straight	PEX	N/A	Body must go on supply side of radiator	5/16" or 8mm Allen key	**VA-02PEXST**

* alternatives available

EXPRESS RADIANT LTD. PURSUE A POLICY OF CONTINUING IMPROVEMENT IN DESIGN AND PERFORMANCE OF THE PRODUCTS WE SELL. THE RIGHT IS THEREFORE RESERVED TO VARY SPECIFICATIONS AND PRICING WITHOUT NOTICE.
Stelrad®, Superchannel® and Superstand® North American Distributor | ©2026 Express Radiant Ltd.

Valves and Accessories

Thermostatic Radiator Valve Sets

	ITEM #	SET ORIENTATION	PIPE	REGULAR/LONG TAILPIECE (APPLIES TO ANGLED SETS ONLY FOR ROUGH-INS)	BI-DIRECTIONAL BODY?	TOOL TO ADJUST LOCKSHIELD (FOR FLOW BALANCING OR ISOLATION)	PRODUCT CODE
	7	Reverse angle. Left hand, meaning body goes on left hand side of the radiator.	NPT/Black Iron	Regular	Body must go on supply side of radiator	5/32" or 4mm Allen key	**VA-NPTLH***
	8	Reverse angle. Right hand, meaning body goes on right hand side of the radiator.	NPT/Black Iron	Regular	Body must go on supply side of radiator	5/32" or 4mm Allen key	**VA-NPTRH***
	9	Reverse angle. Right hand, meaning body goes on right hand side of the radiator.	PEX	Regular	Body must go on supply side of radiator	5/16" or 8mm Allen key	**VA-PEXRH***
	10	Reverse angle. Left hand, meaning body goes on left hand side of the radiator.	PEX	Regular	Body must go on supply side of radiator	5/16" or 8mm Allen key	**VA-PEXLH***
	11	Reverse angle. Left hand, meaning body goes on left hand side of the radiator.	Copper	Regular	Body must go on supply side of radiator	5/16" or 8mm Allen key	**VA-CULH***
	12	Reverse angle. Right hand, meaning body goes on right hand side of the radiator.	Copper	Regular	Body must go on supply side of radiator	5/16" or 8mm Allen key	**VA-CURH***

* alternatives available

For inquiries regarding one-pipe and two-pipe bypass valve sets (items 13 and 14)
please email support@expressradiant.ca

EXPRESS RADIANT LTD. PURSUE A POLICY OF CONTINUING IMPROVEMENT IN DESIGN AND PERFORMANCE OF THE PRODUCTS WE SELL. THE RIGHT IS THEREFORE RESERVED TO VARY SPECIFICATIONS AND PRICING WITHOUT NOTICE.
Stelrad®, Superchannel® and Superstand® North American Distributor | ©2026 Express Radiant Ltd.

22 Chrome Radiator Valves

	ITEM #	ANGLED/ STRAIGHT SET	PIPE	REGULAR/ LONG TAILPIECE (APPLIES TO ANGLED SETS ONLY FOR ROUGH-INS)	BI-DIRECTIONAL BODY?	TOOL TO ADJUST LOCKSHIELD (FOR FLOW BALANCING OR ISOLATION)	PRODUCT CODE
	15	Pair, Angled Cross Head	PEX	Long	N/A	12mm Allen key to seure tail piece to rad	V-CROSSH16-P
	15	Pair, Angled Cross Head	Copper	Long	N/A	12mm Allen key to seure tail piece to rad	V-CROSSH16-C
	16	Pair, Straight Cross Head	PEX	N/A	N/A	12mm Allen key to seure tail piece to rad	V-CROSSH16-SP
	16	Pair, Straight Cross Head	Copper	N/A	N/A	12mm Allen key to seure tail piece to rad	V-CROSSH16-SC
	17	Angled TRV set	PEX	Long	Body must go on supply side	12mm Allen key to seure tail piece to rad; Flat-head screwdriver for lockshield	VA-CHROMETRVSET-P
	17	Angled TRV set	Copper	Long	Body must go on supply side	12mm Allen key to seure tail piece to rad; Flat-head screwdriver for lockshield	VA-CHROMETRVSET-C
	18	Straight TRV set	PEX	N/A	Body must go on supply side	12mm Allen key to seure tail piece to rad; Flat-head screwdriver for lockshield	VA-CHROMETRVSET-SP
	18	Straight TRV set	Copper	N/A	Body must go on supply side	12mm Allen key to seure tail piece to rad; Flat-head screwdriver for lockshield	VA-CHROMETRVSET-SC
	19	Pair, Angled Lockshields	PEX	Long	N/A	Flat-head screwdriver	V-CHROMELS-P
	19	Pair, Angled Lockshields	Copper	Long	N/A	Flat-head screwdriver	V-CHROMELS-C
	20	Pair, Straight Lockshields	PEX	N/A	N/A	Flat-head screwdriver	V-CHROMELS-SP
	20	Pair, Straight Lockshields	Copper	N/A	N/A	Flat-head screwdriver	V-CHROMELS-SC

EXPRESS RADIANT LTD. PURSUE A POLICY OF CONTINUING IMPROVEMENT IN DESIGN AND PERFORMANCE OF THE PRODUCTS WE SELL. THE RIGHT IS THEREFORE RESERVED TO VARY SPECIFICATIONS AND PRICING WITHOUT NOTICE.
Stelrad®, Superchannel® and Superstand® North American Distributor | ©2026 Express Radiant Ltd.

Valves and Accessories

Radiator Connectors

	ITEM #	CONNECTOR/ FITTING	CONNECTION	PIPE	SET FITS*	INDIVIDUAL VALVE/ CONNECTOR FITS	PRODUCT CODE
	21	HERZ PEX Compression Connector	3/4" x 1/2"	PEX	9, 10	29, 30, 31, 32	**V-1609803**
	22	HERZ Copper Compression	3/4" x 1/2"	Copper	11, 12	29, 30, 31, 32	**V-1627616**
	23	Herz M22 x ½" PEX Compression Connector	M22 x 1/2"	PEX	VA-1773485P	NA	**V-1606603**
	24	Herz M22 x ½" Copper Compression Connector	M22 x 1/2"	Copper	VA-1773484C	NA	**V-1606602**
	25	Ottinetti Compression PEX	1/2 x 1/2"	PEX	2	Any valve with O2 in part name	**V-O2PEXF**
	26	Ottinetti Compression Copper	1/2 x 1/2"	Copper	1	Any valve with O2 in part name	**V-O2COPF**
	27	NPT Straight Connector	1/2" for both	NPT	N/A	N/A	**V-1414401 (Single) VA-1414401 (Pair)**
	28	NPT Angled Connector	1/2" for both	NPT	N/A	N/A	**V-1414501 (Single) VA-1414501 (Pair)**
	29	Straight connector Copper	1/2" for both	Copper	N/A	Connector and fitting come together	**V-1300231C (Single) VA-1300231C (Pair)**
	30	Straight connector PEX	1/2" for both	PEX	N/A	Connector and fitting come together	**V-1300231P (Single) VA-1300231P (Pair)**

*Sets come with applicable fittings when sold as sets.

EXPRESS RADIANT LTD. PURSUE A POLICY OF CONTINUING IMPROVEMENT IN DESIGN AND PERFORMANCE OF THE PRODUCTS WE SELL. THE RIGHT IS THEREFORE RESERVED TO VARY SPECIFICATIONS AND PRICING WITHOUT NOTICE.
Stelrad®, Superchannel® and Superstand® North American Distributor | ©2026 Express Radiant Ltd.

24 Radiator Valves

	ITEM #	BODY/ LOCKSHIELD	ANGLED/ STRAIGHT	PIPE	REGULAR/ LONG TAILPIECE (APPLIES TO ANGLED SETS ONLY FOR ROUGH-INS)	BI-DIRECTIONAL BODY?	TOOL TO ADJUST LOCKSHIELD (FOR FLOW BALANCING OR ISOLATION)	PRODUCT CODE
	31	Lockshield	Angled	PEX	Regular	N/A	5/16" or 8mm Allen key	**V-1374801P (pictured) or V-02L90P**
	31	Lockshield	Angled	Copper	Regular	N/A	5/16" or 8mm Allen key	**V-1374801C or V-02L90C**
	32	Body	Angled	PEX	Regular	Body must be fitted on supply side	N/A	**V-1772437P (pictured) or V-0290BP**
	32	Body	Angled	Copper	Regular	Body must be fitted on supply side	N/A	**V-1772437C or V-0290BC**
	33	Body	Reverse Angle Left	NPT	Regular	Body must be fitted on supply side	N/A	**V-1775991**
	34	Body	Reverse Angle Right	NPT	Regular	Body must be fitted on supply side	N/A	**V-1775891**
	35	Body	Angled	NPT	Regular	Body must be fitted on supply side	N/A	**V-1772456**
	36	Lockshield	Angled	NPT	Regular	N/A	5/32" or 4mm Allen key	**V-1342456**

EXPRESS RADIANT LTD. PURSUE A POLICY OF CONTINUING IMPROVEMENT IN DESIGN AND PERFORMANCE OF THE PRODUCTS WE SELL. THE RIGHT IS THEREFORE RESERVED TO VARY SPECIFICATIONS AND PRICING WITHOUT NOTICE.
Stelrad®, Superchannel® and Superstand® North American Distributor | ©2026 Express Radiant Ltd.

Valves and Accessories

Radiator Valves

	ITEM #	BODY/ LOCKSHIELD	ANGLED/ STRAIGHT	PIPE	REGULAR/ LONG TAILPIECE (APPLIES TO ANGLED SETS ONLY FOR ROUGH-INS)	BI-DIRECTIONAL BODY?	TOOL TO ADJUST LOCKSHIELD (FOR FLOW BALANCING OR ISOLATION)	PRODUCT CODE
	37	Body	Straight	NPT	N/A	Body must be fitted on supply side	N/A	V-1772391
	38	Lockshield	Straight	NPT	N/A	N/A	5/16" or 8mm Allen key	V-1372341
	39	Body	Straight	PEX	N/A	Body must be fitted on supply side	N/A	V-02BSTP (pictured)
	39	Body	Straight	Copper	N/A	Body must be fitted on supply side	N/A	V-02BSTC
	40	Lockshield	Straight	PEX	N/A	N/A	5/16" or 8mm Allen key	V-02LSTP (pictured)
	40	Lockshield	Straight	Copper	N/A	N/A	5/16" or 8mm Allen key	V-02LSTC

Controls

41. Herz Non-Electric Mini Thermostatic Head

PRODUCT CODE: V-1920060



- Fits all Herz thermostatic valve bodies (M-28)
- Used for sensing room temperature and automatically adjusting flow of liquid through valve body and radiator or heat emitter

42. Ottinetti Non-Electric Mini Thermostatic Head (size M-30)

PRODUCT CODE: V-02HEAD30



- Fits all Ottinetti thermostatic valve bodies (M-30)
- Used for sensing room temperature and automatically adjusting flow of liquid through valve body and radiator or heat emitter

EXPRESS RADIANT LTD. PURSUE A POLICY OF CONTINUING IMPROVEMENT IN DESIGN AND PERFORMANCE OF THE PRODUCTS WE SELL. THE RIGHT IS THEREFORE RESERVED TO VARY SPECIFICATIONS AND PRICING WITHOUT NOTICE.
Stelrad®, Superchannel® and Superstand® North American Distributor | ©2026 Express Radiant Ltd.

26 Accessories

43. M28 to M30 Adaptor

PRODUCT CODE: V-1635760



Converts Herz radiator TRV valves from M28 to M30 thread

44. Herz Replacement Valve Inserts

PRODUCT CODE: V-1639091 V-1639090



Replacement valve insert for all ½" thermostatic Herz valves.

Herz Replacement Valve Insert, PRODUCT CODE V-1639091 (for all Herz thermostatic valves except for VA-1773484C and VA-1773485P)

Herz Replacement Valve Insert, PRODUCT CODE V-1639090 (for VA-1773484C and VA-1773485P)

46. Herz Multi-purpose Key

PRODUCT CODE: V-1662500



Herz multi-purpose key

- For adjusting lockshield valves and bleeding radiators

47. Stelrad Radiator Air Bleeder Key

PRODUCT CODE: V-VENT KEY



Air bleeder key used for all Express Radiant's Stelrad radiators and towel warmers now on a convenient key ring

48. ½" X 24" Chrome Tubing

PRODUCT CODE: V-C16600



½" chrome plated brass tubing 24" long

- Will fit to all copper compression valves
- Easy to solder just remove chrome plating with file and solder to any fitting or use compression fittings

EXPRESS RADIANT LTD. PURSUE A POLICY OF CONTINUING IMPROVEMENT IN DESIGN AND PERFORMANCE OF THE PRODUCTS WE SELL. THE RIGHT IS THEREFORE RESERVED TO VARY SPECIFICATIONS AND PRICING WITHOUT NOTICE.
Stelrad®, Superchannel® and Superstand® North American Distributor | ©2026 Express Radiant Ltd.

Accessories

49. ½" X 8" Chrome and White Radsnaps

PRODUCT CODE: V-RSC8 (Chrome) V-RSW8 (White)



½" chrome or white pipe covering sleeves, 10 pieces 8" long

- The pipe sleeves can be installed easily around exposed piping and give the appearance of white or chrome pipework
- The individual pieces can be cut with scissors to the required length and snapped around the exposed pipe

50. ½" X 40" Chrome and White Pipesnaps

PRODUCT CODE: V-PIPESNAPC (Chrome) V-PIPESNAPW (White)

½" chrome or white pipe covering sleeves, 3 pieces 40" (1m) long

- The pipe sleeves can be installed easily around exposed piping and give the appearance of white or chrome pipework
- The individual pieces can be cut with scissors to the required length and snapped around the exposed pipe



51. Softline Radiator Floor Standing Bracket



Universal floor standing bracket with adjustable height setting for Stelrad Compact Softline Radiator

- Not available for the 8" model radiator
  2 brackets required for 16" to 64" length radiators
  3 brackets required for 72" to 120" length radiators
- Sold as single

PRODUCT CODE: V-FS BRACKET-K1
PRODUCT CODE: V-FS BRACKET-K2

52. Classic Column Floor Standing Brackets

PRODUCT CODE: V-CLFS



Floor standing brackets for classic column radiators

- Up to 18 sections 2 brackets recommended
  18 - 31 sections 3 brackets recommended
  32 - 40 sections 4 brackets recommended
- Sold in pairs
- If ordering floor brackets and you still wish to have wall brackets included, please have wholesaler indicate on purchase order.

53. Non Scratch Bushing Wrench

PRODUCT CODE: V-CCWRENCH



Plastic wrench to avoid scratches when used to tighten the bushings on column radiators

- NOTE: for classic column radiators only.

EXPRESS RADIANT LTD. PURSUE A POLICY OF CONTINUING IMPROVEMENT IN DESIGN AND PERFORMANCE OF THE PRODUCTS WE SELL. THE RIGHT IS THEREFORE RESERVED TO VARY SPECIFICATIONS AND PRICING WITHOUT NOTICE.
Stelrad®, Superchannel® and Superstand® North American Distributor | ©2026 Express Radiant Ltd.

28 Accessories

54. White Ladder Rail Brackets

PRODUCT CODE: V-WBLRCW (Curved white) V-WBLRSW (Straight white)



Replacement wall brackets for Stelrad ladder rail towel warmers

- Includes hardware accessories pack

55. Chrome Ladder Rail Brackets

PRODUCT CODE: V-WBLRCC (Curved chrome) V-WBLRSC (Straight chrome)



Replacement wall brackets for Stelrad ladder rail towel warmers

- Includes hardware accessories pack

56. Extensions




Extensions for radiator valve connections

- Fits all valves

PRODUCT CODE: V-EXT20 20mm (¾")
PRODUCT CODE: V-EXT30 30mm (1 3⁄16")
PRODUCT CODE: V-EXT40 40mm (1 ½")

58. Softline and Style Radiator L Wall Brackets



Replacement wall brackets, sold in pairs

PRODUCT CODE: V-WB200 200mm (8")
PRODUCT CODE: V-WB300 300mm (12")
PRODUCT CODE: V-WB450 450mm (18")
PRODUCT CODE: V-WB600 600mm (24")
PRODUCT CODE: V-WB700 700mm (28")

59. J-Brackets



- Wall mounted through the top grille and in the lower welding seam for easy placement
- Sold in singles
- Suitable for K2 and S2 type radiators only

PRODUCT CODE: V-JBracket 200 200mm (8")
PRODUCT CODE: V-JBracket 300 300mm (12")
PRODUCT CODE: V-JBracket 450 450mm (18")
PRODUCT CODE: V-JBracket 600 600mm (24")
PRODUCT CODE: V-JBracket 700 700mm (28")



NOTE: For parts 58 and 59, products are matched to radiator height. E.g. If you need brackets for a 12" inch high radiator, select V-WB300 or V-JBRACKET300. For the L-brackets, the correct brackets should be a few inches shorter than the height of the radiator. For the J-brackets, the height should be an approximate match.

EXPRESS RADIANT LTD. PURSUE A POLICY OF CONTINUING IMPROVEMENT IN DESIGN AND PERFORMANCE OF THE PRODUCTS WE SELL. THE RIGHT IS THEREFORE RESERVED TO VARY SPECIFICATIONS AND PRICING WITHOUT NOTICE.
Stelrad®, Superchannel® and Superstand® North American Distributor | ©2026 Express Radiant Ltd.

Accessories

60. Stelrad Radiator Replacement Hardware Pack



Stelrad hardware pack for for compact and style radiators in 12", 18", 24" and 28" inch heights.

- Includes nickel plated air vent, blank plug and bracket isolators.

PRODUCT CODE: V-HARDWARE
(For 12", 18", 24", 28" radiators, PICTURED)

PRODUCT CODE: V-HARDWARE8
(For K2 and S2 8" models)

61. Stelrad Ladder Rail Replacement Hardware Pack

PRODUCT CODE: V-LRHARDWARE



Hardware pack for all types of Stelrad ladder rails

62. Stelrad Side Panel Key

PRODUCT CODE: V-SIDEPANELKEY



When cleaning Compact Softline, Style and Vertex radiators, this is used to remove side panels from the unit.

Additional information available on **expressradiant.ca** in the downloads section.

63. Stelrad Radiator Brush

PRODUCT CODE: V-RADIATORBRUSH



In order for a radiator to function optimally, it is wise to regularly clean between the heating elements.

Clean radiators not only look nicer, they are also more energy efficient, because dust particles reduce the efficiency of heat emission. Dust can be removed with our flexible radiator brush.

64. Paint Spray (V-PAINTSPRAY)



For minor touchups.

Paint Spray (150mL) for larger surfaces, for smaller surfaces with Paint Pen (12mL).

*Small paint bottle with brush also available.

65. Paint Pen (V-PAINTPEN)



Replacement top grilles and end panels are available as a special order and not carried as stock.

EXPRESS RADIANT LTD. PURSUE A POLICY OF CONTINUING IMPROVEMENT IN DESIGN AND PERFORMANCE OF THE PRODUCTS WE SELL. THE RIGHT IS THEREFORE RESERVED TO VARY SPECIFICATIONS AND PRICING WITHOUT NOTICE.
Stelrad®, Superchannel® and Superstand® North American Distributor | ©2026 Express Radiant Ltd.